

	Asplit® VED Powder	
Revision date: 20.11.2019	Product code: 00359-1214	Page 1 of 8
SECTION 1: Identificatio	n of the substance/mixture and of the company/undertaking	
1.1. Product identifier		
Asplit® VED Powder		
ArtNo.		
592 1000		
1.2. Relevant identified use	es of the substance or mixture and uses advised against	
Use of the substance/m	ixture	
filler		
1.3. Details of the supplier	of the safety data sheet	
Company name:	TIP TOP Oberflaechenschutz Elbe GmbH	
Street:	Heuweg 4	
Place:	D-06886 Wittenberg	
Telephone:	+49(0)3491/635-50 Telefax:+49(0)3491/635-552	
Responsible Department		
1.4. Emergency telephone	INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)	
number:	In England and Wales: NHS 111 In Scotland: NHS 24 - dial 111	
SECTION 2: Hazards ide	ntification	
SECTION 2: Hazards ide	ubstance or mixture	
2.1. Classification of the su Regulation (EC) No. 1272	ubstance or mixture	
2.1. Classification of the su Regulation (EC) No. 1272 Hazard categories:	ubstance or mixture /2008	
2.1. Classification of the su Regulation (EC) No. 1272 Hazard categories:	ubstance or mixture	
2.1. Classification of the su Regulation (EC) No. 1272 Hazard categories: Specific target organ Hazard Statements:	ubstance or mixture /2008	
2.1. Classification of the su Regulation (EC) No. 1272 Hazard categories: Specific target organ Hazard Statements:	ubstance or mixture /2008 toxicity - repeated exposure: STOT RE 1	
2.1. Classification of the su Regulation (EC) No. 1272 Hazard categories: Specific target organ Hazard Statements: Causes damage to o 2.2. Label elements	<mark>Jbstance or mixture</mark> / <b>2008</b> toxicity - repeated exposure: STOT RE 1 rgans through prolonged or repeated exposure.	
2.1. Classification of the su Regulation (EC) No. 1272 Hazard categories: Specific target organ Hazard Statements: Causes damage to o 2.2. Label elements Regulation (EC) No. 1272 Hazard components for	/2008 toxicity - repeated exposure: STOT RE 1 rgans through prolonged or repeated exposure. /2008	
2.1. Classification of the su Regulation (EC) No. 1272 Hazard categories: Specific target organ Hazard Statements: Causes damage to o 2.2. Label elements Regulation (EC) No. 1272 Hazard components for Quartz	/2008 toxicity - repeated exposure: STOT RE 1 rgans through prolonged or repeated exposure. /2008 labelling	
2.1. Classification of the su Regulation (EC) No. 1272 Hazard categories: Specific target organ Hazard Statements: Causes damage to o 2.2. Label elements Regulation (EC) No. 1272 Hazard components for Quartz Signal word:	/2008 toxicity - repeated exposure: STOT RE 1 rgans through prolonged or repeated exposure. /2008	
2.1. Classification of the su Regulation (EC) No. 1272 Hazard categories: Specific target organ Hazard Statements: Causes damage to o 2.2. Label elements Regulation (EC) No. 1272 Hazard components for Quartz	/2008 toxicity - repeated exposure: STOT RE 1 rgans through prolonged or repeated exposure. /2008 labelling	
2.1. Classification of the su Regulation (EC) No. 1272 Hazard categories: Specific target organ Hazard Statements: Causes damage to o 2.2. Label elements Regulation (EC) No. 1272 Hazard components for Quartz Signal word:	/2008 toxicity - repeated exposure: STOT RE 1 rgans through prolonged or repeated exposure. /2008 labelling	
2.1. Classification of the su Regulation (EC) No. 1272 Hazard categories: Specific target organ Hazard Statements: Causes damage to o 2.2. Label elements Regulation (EC) No. 1272 Hazard components for Quartz Signal word:	/2008 toxicity - repeated exposure: STOT RE 1 rgans through prolonged or repeated exposure. /2008 labelling	
2.1. Classification of the su Regulation (EC) No. 1272 Hazard categories: Specific target organ Hazard Statements: Causes damage to o 2.2. Label elements Regulation (EC) No. 1272 Hazard components for Quartz Signal word: Pictograms:	/2008 toxicity - repeated exposure: STOT RE 1 rgans through prolonged or repeated exposure. /2008 labelling	
2.1. Classification of the su Regulation (EC) No. 1272 Hazard categories: Specific target organ Hazard Statements: Causes damage to o 2.2. Label elements Regulation (EC) No. 1272 Hazard components for Quartz Signal word: Pictograms: Hazard statements	Jubstance or mixture        /2008        toxicity - repeated exposure: STOT RE 1        rgans through prolonged or repeated exposure.        /2008        Habelling        Danger	
2.1. Classification of the su Regulation (EC) No. 1272 Hazard categories: Specific target organ Hazard Statements: Causes damage to o 2.2. Label elements Regulation (EC) No. 1272 Hazard components for Quartz Signal word: Pictograms: Hazard statements H372	Abstance or mixture /2008 toxicity - repeated exposure: STOT RE 1 rgans through prolonged or repeated exposure. /2008 1abelling Danger Causes damage to organs through prolonged or repeated exposure.	
2.1. Classification of the su Regulation (EC) No. 1272 Hazard categories: Specific target organ Hazard Statements: Causes damage to o 2.2. Label elements Regulation (EC) No. 1272 Hazard components for Quartz Signal word: Pictograms: Hazard statements H372 Precautionary statement	Abstance or mixture /2008 toxicity - repeated exposure: STOT RE 1 rgans through prolonged or repeated exposure. /2008 labelling Danger Causes damage to organs through prolonged or repeated exposure. ts	
2.1. Classification of the su Regulation (EC) No. 1272 Hazard categories: Specific target organ Hazard Statements: Causes damage to o 2.2. Label elements Regulation (EC) No. 1272 Hazard components for Quartz Signal word: Pictograms: Hazard statements H372 Precautionary statement P260	Abstance or mixture /2008 toxicity - repeated exposure: STOT RE 1 rgans through prolonged or repeated exposure. /2008 labelling Danger Causes damage to organs through prolonged or repeated exposure. ts Do not breathe dust.	
2.1. Classification of the su Regulation (EC) No. 1272 Hazard categories: Specific target organ Hazard Statements: Causes damage to o 2.2. Label elements Regulation (EC) No. 1272 Hazard components for Quartz Signal word: Pictograms: Hazard statements H372 Precautionary statement	ubstance or mixture        /2008        toxicity - repeated exposure: STOT RE 1        rgans through prolonged or repeated exposure.        /2008        Tabelling        Danger        Output        Causes damage to organs through prolonged or repeated exposure.        nts        Do not breathe dust.        Do not eat, drink or smoke when using this product.	
2.1. Classification of the su Regulation (EC) No. 1272 Hazard categories: Specific target organ Hazard Statements: Causes damage to o 2.2. Label elements Regulation (EC) No. 1272 Hazard components for Quartz Signal word: Pictograms: Hazard statements H372 Precautionary statement P260 P270	Abstance or mixture /2008 toxicity - repeated exposure: STOT RE 1 rgans through prolonged or repeated exposure. /2008 labelling Danger Causes damage to organs through prolonged or repeated exposure. ts Do not breathe dust.	

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures



according to Regulation (EC) No 1907/2006

### Asplit<sup>®</sup> VED Powder

Revision date: 20.11.2019

Product code: 00359-1214

Page 2 of 8

### **Chemical characterization**

Mixture of the following substances with non-hazardous admixtures

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification	•	•	
14808-60-7	3-60-7 Quartz			< 30 %
	231-545-4			
	STOT RE 1; H372			

Full text of H and EUH statements: see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

Remove and wash contaminated clothing before re-use.

#### After inhalation

Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion. In the event of symptoms refer for medical treatment.

### After contact with skin

Wash hands with water as a precaution.

### After contact with eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, consult a specialist.

### After ingestion

In the event of symptoms refer for medical treatment.

## 4.2. Most important symptoms and effects, both acute and delayed

Causes damage to organs through prolonged or repeated exposure. [lung] When dust is produced, slight irritations of eyes and mucous membranes are possible. Inhalation of dust may cause shortness of breath, tightness of the chest, a sore throat and cough.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

### Suitable extinguishing media

Product does not burn, fire-extinguishing activities according to surrounding.

## Unsuitable extinguishing media

Full water jet

## 5.2. Special hazards arising from the substance or mixture

No data available

## 5.3. Advice for firefighters

In case of fire, wear suitable respiratory equipment with positive air supply. Protective suit.

### Additional information

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.



according to Regulation (EC) No 1907/2006

## Asplit<sup>®</sup> VED Powder

Revision date: 20.11.2019

Product code: 00359-1214

Page 3 of 8

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

In case of respirable dust, use a self-contained breathing apparatus. Ensure adequate ventilation.

Use personal protective clothing.

## 6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water.

### 6.3. Methods and material for containment and cleaning up

Pick up mechanically, avoiding dust, and provide disposal in suitable recipients. Where possible recycling is preferred to disposal.

### 6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8). Information for disposal see section 13.

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

## Advice on safe handling

Keep container tightly closed. Avoid the formation and deposition of dust.

Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.

#### Advice on protection against fire and explosion

No special protective measures against fire required.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed in a dry, cool and well-ventilated place.

### Hints on joint storage

No materials to be especially mentioned.

#### Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

### 7.3. Specific end use(s)

filler

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
409-21-2	Silicon carbide (not whiskers), respirable	-	4		TWA (8 h)	WEL
13463-67-7	Titanium dioxide, respirable	-	4		TWA (8 h)	WEL

### Additional advice on limit values

Obey TLV for common dust, if applicable.

### 8.2. Exposure controls

## Appropriate engineering controls

Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.



according to Regulation (EC) No 1907/2006

## Asplit VED Powder

Revision date: 20.11.2019

Product code: 00359-1214

Page 4 of 8

## Protective and hygiene measures

Do not breathe dust.

Wash hands before breaks and at the end of workday.

When using do not eat, drink or smoke.

Remove and wash contaminated clothing before re-use.

## Eye/face protection

Safety goggles with side protection (EN 166).

## Hand protection

Chemical protective gloves made of nitrile, nitrile/cotton, butyl or neoprene, with a minimum thickness of 0.7 mm, permeation time of approx. 480 minutes.

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Pls. find examples in the protective gloves database under: http://bestglove.com/site/chemrest/

## Skin protection

Long sleeved clothing (DIN EN ISO 6530)

## **Respiratory protection**

Dust mask (EN 149)

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state:	Powder		
Colour:	Grey		
Odour:	Odourless		
			Test method
pH-Value:		n.d.	
Changes in the physical state			
Melting point:		n.d.	
Initial boiling point and boiling range:		n.d.	
Sublimation point:		n.a.	
Softening point:		n.d.	
Flash point:		n.a.	
Flammability			
Solid:		Not combustible	
Gas:		n.a.	
Explosive properties			
The product is not explosive.			
Lower explosion limits:		n.a.	
Upper explosion limits:		n.a.	
Ignition temperature:		n.a.	
Auto-ignition temperature			
Solid:		The product is not self-igniting	
Gas:		n.a.	
Decomposition temperature:		n.d.	
Oxidizing properties			
Not oxidising.			



### according to Regulation (EC) No 1907/2006

	Asplit® VED Powder	
Revision date: 20.11.2019	Product code: 00359-1214	Page 5 of 8
Vapour pressure:	n.d.	
Density:	n.d.	
Bulk density (at 20 °C):	1,35 kg/m³	
Water solubility: (at 20 °C)	More or less insoluble	
Solubility in other solvents n.d.		
Partition coefficient:	n.d.	
Viscosity / dynamic:	n.a.	
Viscosity / kinematic:	n.a.	
Flow time:	n.a.	
Vapour density:	n.d.	
Evaporation rate:	n.d.	
Solvent separation test:	0 %	
Solvent content:	0 %	
9.2. Other information		
Solid content:	100 %	

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No decomposition if stored and applied as directed.

### 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No hazardous reactions known.

## 10.4. Conditions to avoid

Not known.

## 10.5. Incompatible materials

No materials to be especially mentioned.

### 10.6. Hazardous decomposition products

No hazardous decomposition products known.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

### Acute toxicity

Based on available data, the classification criteria are not met. No toxicological data available.

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

## Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

## Asplit<sup>®</sup> VED Powder

Revision date: 20.11.2019

Product code: 00359-1214

Page 6 of 8

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Causes damage to organs through prolonged or repeated exposure. (Quartz)

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

### Practical experience

### Other observations

When dust is produced, slight irritations of eyes and mucous membranes are possible. Inhalation of dust may cause shortness of breath, tightness of the chest, a sore throat and cough.

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Ecological data are not available.

### 12.2. Persistence and degradability

No data available

### 12.3. Bioaccumulative potential

No data available

### 12.4. Mobility in soil

No data available

### 12.5. Results of PBT and vPvB assessment

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

## 12.6. Other adverse effects

Low hazard to waters.

## **Further information**

Do not flush into surface water or sanitary sewer system.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

### **Disposal recommendations**

It must undergo special treatment, e.g. at suitable disposal site, to comply with local regulations. Where possible recycling is preferred to disposal.

### List of Wastes Code - residues/unused products

080299 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of other coatings (including ceramic materials); wastes not otherwise specified

#### Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Packaging that cannot be cleaned should be disposed of like the product.

### **SECTION 14: Transport information**

### Land transport (ADR/RID)



according to Regulation (EC) No 1907/2006

Revision date: 20.11.2019 <u>14.1. UN number:</u> <u>14.2. UN proper shipping name:</u> <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> Inland waterways transport (ADN)	Product code: 00359-1214 No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.	Page 7 of 8
14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Inland waterways transport (ADN)	No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es): 14.4. Packing group: Inland waterways transport (ADN)	No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.	
14.4. Packing group: Inland waterways transport (ADN)	No dangerous good in sense of this transport regulation. No dangerous good in sense of this transport regulation.	
Inland waterways transport (ADN)	No dangerous good in sense of this transport regulation.	
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Marine transport (IMDG)		
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	no	
14.6. Special precautions for user		
No dangerous good in sense of this tr	ansport regulation.	
14.7. Transport in bulk according to Annex	II of Marpol and the IBC Code	
No dangerous good in sense of this tr		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regu	ulations/legislation specific for the substance or mixture	
EU regulatory information		
2004/42/EC (VOC):	0 %	
Information according to 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)	
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.	
15.2. Chemical safety assessment		

For this substance a chemical safety assessment has not been carried out.

## **SECTION 16: Other information**



according to Regulation (EC) No 1907/2006

## Asplit<sup>®</sup> VED Powder

Revision date: 20.11.2019

Product code: 00359-1214

Page 8 of 8

## Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

IMDG = International Maritime Code for Dangerous Goods

IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

MARPOL = International Convention for the Prevention of Pollution from Ships

IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals

CAS = Chemical Abstract Service

EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

vPvB = Very Persistent and very Bio-accumulative

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

## Relevant H and EUH statements (number and full text)

Causes damage to organs through prolonged or repeated exposure.

### Further Information

H372

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal

warranty regulations.

(n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)