

according to Regulation (EC) No 1907/2006

#### **TIP TOP CHEMOKITT FU SOLUTION 1**

Revision date: 12.07.2018 Product code: 00359-1138 Page 1 of 10

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

TIP TOP CHEMOKITT FU SOLUTION 1

Art.-No.

525 0660, 591 0070, 591 0071, 591 0072

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

Mortar

### 1.3. Details of the supplier of the safety data sheet

Company name: TIP TOP Oberflaechenschutz Elbe GmbH

Street: Heuweg 4

Place: D-06886 Wittenberg

Telephone: +49(0)3491/635-50 Telefax: +49(0)3491/635-552

Responsible Department: Responsible for the safety data sheet: sds@gbk-ingelheim.de

**1.4. Emergency telephone** INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)

number: In England and Wales: NHS 111 In Scotland: NHS 24 - dial 111

#### **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

Hazard categories:

Acute toxicity: Acute Tox. 3
Acute toxicity: Acute Tox. 3
Acute toxicity: Acute Tox. 3
Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Carcinogenicity: Carc. 2

Specific target organ toxicity - single exposure: STOT SE 3
Specific target organ toxicity - repeated exposure: STOT RE 2

Hazard Statements: Toxic if inhaled

Toxic in contact with skin.

Toxic if swallowed.

Causes skin irritation.

Causes serious eye irritation.
Suspected of causing cancer.
May cause respiratory irritation.

May cause damage to organs through prolonged or repeated exposure.

### 2.2. Label elements

## Regulation (EC) No. 1272/2008

# Hazard components for labelling

Furfuryl alcohol

Signal word: Danger

Pictograms:







according to Regulation (EC) No 1907/2006

## **TIP TOP CHEMOKITT FU SOLUTION 1**

Revision date: 12.07.2018 Product code: 00359-1138 Page 2 of 10

#### **Hazard statements**

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.

H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.
 H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

## **Precautionary statements**

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe vapours.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

# 2.3. Other hazards

Not known.

# **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

#### **Chemical characterization**

Furan resin formulation

## **Hazardous components**

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
98-00-0	Furfuryl alcohol		< 50 %	
	202-626-1	603-018-00-2	01-2119493965-18	
	Carc. 2, Acute Tox. 3, Acute Tox. 3, Acute Tox. 3, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3, STOT RE 2; H351 H331 H311 H301 H315 H319 H335 H373			

Full text of H and EUH statements: see section 16.

## **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### General information

Remove contaminated soaked clothing immediately.

Symptoms of poisoning may not occur for many hours, therefore keep under medical supervision for at least 48 hours.

In the event of persistent symptoms receive medical treatment.

#### After inhalation

Move to fresh air in case of accidental inhalation of vapours or decomposition products.

In the event of symptoms refer for medical treatment.

## After contact with skin

Wash off immediately with soap and plenty of water.

Consult a doctor if skin irritation persists.





according to Regulation (EC) No 1907/2006

#### **TIP TOP CHEMOKITT FU SOLUTION 1**

Revision date: 12.07.2018 Product code: 00359-1138 Page 3 of 10

#### After contact with eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Seek medical treatment by eye specialist.

### After ingestion

Rinse mouth.

Never give anything by mouth to an unconscious person.

Summon a doctor immediately.

Induce vomiting only upon the advice of a physician.

### 4.2. Most important symptoms and effects, both acute and delayed

Toxic if swallowed, in contact with skin or if inhaled.

Suspected of causing cancer.

May cause damage to organs through prolonged or repeated exposure.

Causes serious eye irritation.

Causes skin irritation.

May cause respiratory irritation.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media

Alcohol-resistant foam, dry chemical, carbon dioxide (CO2), water-spray.

# Unsuitable extinguishing media

Full water jet.

## 5.2. Special hazards arising from the substance or mixture

Fire may produce:

carbon monoxide and carbon dioxide

### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit.

### Additional information

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

In case of vapour formation use respirator.

Ensure adequate ventilation.

Use personal protective clothing.

Remove persons to safety.

### 6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water.

Do not discharge into the subsoil/soil.

Clean contaminated surface thoroughly.

### 6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder).

Shovel into suitable container for disposal.

# 6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8).

Information for disposal see section 13.





according to Regulation (EC) No 1907/2006

#### **TIP TOP CHEMOKITT FU SOLUTION 1**

Revision date: 12.07.2018 Product code: 00359-1138 Page 4 of 10

### **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

Keep container tightly closed.

Use only in thoroughly ventilated areas.

Do not breathe vapours.

Avoid contact with skin, eyes and clothing.

### Advice on protection against fire and explosion

No special protective measures against fire required.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep container tightly closed in a dry, cool and well-ventilated place.

Protect against direct sun radiation.

#### Advice on storage compatibility

Incompatible with acids.

# Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

### 7.3. Specific end use(s)

Mortar

### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

### Additional advice on limit values

No data available

#### 8.2. Exposure controls

## Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

## Protective and hygiene measures

Do not inhale vapours.

Wash hands before breaks and immediately after handling the product.

When using do not eat, drink or smoke.

Avoid contact with skin, eyes and clothing.

Remove and wash contaminated clothes before re-use.

## Eye/face protection

Tightly fitting goggles (EN 166).

Eye wash bottle with pure water (EN 15154).

#### Hand protection

Chemical protective gloves made of nitrile, nitrile/cotton, butyl or neoprene, with a minimum thickness of 0.7 mm, permeation time of approx. 480 minutes.

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Pls. find examples in the protective gloves database under: http://bestglove.com/site/chemrest/

### Skin protection

Long sleeved clothing (EN 368).



according to Regulation (EC) No 1907/2006

## **TIP TOP CHEMOKITT FU SOLUTION 1**

Revision date: 12.07.2018 Product code: 00359-1138 Page 5 of 10

## Respiratory protection

In case of insufficient ventilation wear suitable respiratory equipment (gas filter type A) (EN 14387).

# **SECTION 9: Physical and chemical properties**

Physical state: Liquid
Colour: Dark brown
Odour: Characteristic

•	Test method
---	-------------

pH-Value: n.d.

# Changes in the physical state

Melting point:	n.d.
Initial boiling point and boiling range:	171 °C *)
Sublimation point:	n.a.
Softening point:	n.d.
Flash point:	75 °C *)

## **Flammability**

Solid:	n.a.
Gas:	n.a.

## **Explosive properties**

The product is considered non-explosive; nevertheless explosive vapour/air mixture can be generated.

Lower explosion limits:	16,3 vol. % *)	
Upper explosion limits:	1,8 vol. % *)	
Ignition temperature:	> 390 °C *)	

# **Auto-ignition temperature**

Solid:	n.a.
Gas:	n.a.
Decomposition temperature:	n.d.

## **Oxidizing properties**

Not oxidising.

Vapour pressure:	n.d.
Density (at 20 °C):	1,1 g/cm³
Bulk density:	n.a.
Water solubility:	Immiscible

(at 20 °C)

## Solubility in other solvents

n.d.

Partition coefficient:	n.d.
Viscosity / dynamic:	1430 mPa·s
(at 25 °C)	

Viscosity / kinematic: n.d.
Flow time: n.d.
Vapour density: n.d.
Evaporation rate: n.d.

Solvent separation test: 0 %





according to Regulation (EC) No 1907/2006

#### **TIP TOP CHEMOKITT FU SOLUTION 1**

Revision date: 12.07.2018 Product code: 00359-1138 Page 6 of 10

## 9.2. Other information

No data available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No decomposition if stored and applied as directed.

## 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Exothermic reaction with strong acids.

#### 10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat.

Protect against direct sun radiation.

## 10.5. Incompatible materials

Acids.

### 10.6. Hazardous decomposition products

Carbon monoxide and carbon dioxide

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

# **Acute toxicity**

Toxic if swallowed, in contact with skin or if inhaled.

No toxicological data available.

### Irritation and corrosivity

Causes skin irritation.

Causes serious eye irritation.

## Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Suspected of causing cancer. (Furfuryl alcohol)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

## STOT-single exposure

May cause respiratory irritation. (Furfuryl alcohol)

## STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (Furfuryl alcohol)

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

### Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

### **Practical experience**

## Other observations

Attention. Beware, danger of aspiration!

# **SECTION 12: Ecological information**

### 12.1. Toxicity

Ecological data are not available.



according to Regulation (EC) No 1907/2006

## **TIP TOP CHEMOKITT FU SOLUTION 1**

Revision date: 12.07.2018 Product code: 00359-1138 Page 7 of 10

### 12.2. Persistence and degradability

No data available

## 12.3. Bioaccumulative potential

No data available

#### 12.4. Mobility in soil

No data available

#### 12.5. Results of PBT and vPvB assessment

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

#### 12.6. Other adverse effects

Low hazard to waters.

#### **Further information**

Do not flush into surface water or sanitary sewer system.

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

## Advice on disposal

Can be incinerated, when in compliance with local regulations.

Where possible recycling is preferred to disposal.

#### Waste disposal number of waste from residues/unused products

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products);

waste adhesives and sealants containing organic solvents or other hazardous substances;

hazardous waste

### Contaminated packaging

Contaminated packagings are to be treated like the product itself.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken

Packaging that cannot be cleaned should be disposed of like the product.

## **SECTION 14: Transport information**

### Land transport (ADR/RID)

**14.1. UN number:** UN 2874

14.2. UN proper shipping name: FURFURYL ALCOHOL, Solution

14.3. Transport hazard class(es):6.114.4. Packing group:IIIHazard label:6.1



60

Ε

Classification code: T1

Limited quantity: 5 L / 30 kg
Excepted quantity: E1
Transport category: 2

Hazard No: Tunnel restriction code:

### Inland waterways transport (ADN)



according to Regulation (EC) No 1907/2006

## **TIP TOP CHEMOKITT FU SOLUTION 1**

Revision date: 12.07.2018 Product code: 00359-1138 Page 8 of 10

**14.1. UN number:** UN 2874

14.2. UN proper shipping name: FURFURYL ALCOHOL, Solution

14.3. Transport hazard class(es):6.114.4. Packing group:IIIHazard label:6.1



Classification code: T1

Limited quantity: 5 L / 30 kg
Excepted quantity: E1

Marine transport (IMDG)

**14.1. UN number:** UN 2874

**14.2. UN proper shipping name:** FURFURYL ALCOHOL, SOLUTION

14.3. Transport hazard class(es):6.114.4. Packing group:IIIHazard label:6.1



Marine pollutant: No

Limited quantity: 5 L / 30 kg
Excepted quantity: E1
EmS: F-A, S-A

Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number:** UN 2874

14.2. UN proper shipping name: FURFURYL ALCOHOL, SOLUTION

 14.3. Transport hazard class(es):
 6.1

 14.4. Packing group:
 III

 Hazard label:
 6.1



Limited quantity Passenger: 2 L
Passenger LQ: Y642
Excepted quantity: E1

IATA-packing instructions - Passenger: 655
IATA-max. quantity - Passenger: 60 L
IATA-packing instructions - Cargo: 663
IATA-max. quantity - Cargo: 220 L

14.5. Environmental hazards


ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Handle in accordance with good industrial hygiene and safety practice.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

The transport takes place only in approved and appropriate packaging.





according to Regulation (EC) No 1907/2006

#### **TIP TOP CHEMOKITT FU SOLUTION 1**

Revision date: 12.07.2018 Product code: 00359-1138 Page 9 of 10

### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

2004/42/EC (VOC): 0 %

Information according to 2012/18/EU H2 ACUTE TOXIC

(SEVESO III):

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

**Additional information** 

Consider Chemical prohibition regulation.

#### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

### **SECTION 16: Other information**

#### Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

IMDG = International Maritime Code for Dangerous Goods

IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

MARPOL = International Convention for the Prevention of Pollution from Ships

IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals

CAS = Chemical Abstract Service

EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

vPvB = Very Persistent and very Bio-accumulative

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

## Relevant H and EUH statements (number and full text)

H301 Toxic if swallowed.

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled.

H311 Toxic in contact with skin. H315 Causes skin irritation.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H335 May cause respiratory irritation. H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

### **Further Information**

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product





according to Regulation (EC) No 1907/2006

## **TIP TOP CHEMOKITT FU SOLUTION 1**

Revision date: 12.07.2018 Product code: 00359-1138 Page 10 of 10

(in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)