

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

TIP TOP FILLER F1 **Art.-No.** 591 0140 **1.2. Relevant identified uses of the substance or mixture and uses advised against** 

#### Use of the substance/mixture

filler

# 1.3. Details of the supplier of the safety data sheet

Company name:	TIP TOP Oberflaechenschutz Elbe GmbH
Street:	Heuweg 4
Place:	D-06886 Wittenberg
Telephone	+49(0)3491/635-50
Telefax	+49(0)3491/635-552
Responsible for the safety data sheet: s	ds@gbk-ingelheim.de
1.4. Emergency telephone	INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)
number:	England and Wales: NHS Direct - 0845 4647; Scotland: NHS 24 - 08454 24 24
	24

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Indications of danger: Xn - Harmful

R phrases: Harmful: danger of serious damage to health by prolonged exposure through inhalation.

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:

Specific target organ toxicity - repeated exposure: STOT RE 2 Hazard Statements:

May cause damage to organs (lung) through prolonged or repeated exposure if inhaled.

Warning

GHS08

# 2.2. Label elements

Hazardous com	ponents which	n must be liste	d on the label
		1 111401 80 11010	

Quartz

H373

Signal word:

Pictograms:



#### Hazard statements

May cause damage to organs (lung) through prolonged or repeated exposure if inhaled.

#### **Precautionary statements**

P260	Do not breathe Dust.
P285	In case of inadequate ventilation wear respiratory protection.
P314	Get medical advice/attention if you feel unwell.

# 2.3. Other hazards

Not known.

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures



### **Chemical characterization**

Mixture of the following substances with non-hazardous admixtures

# Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
REACH No		
238-878-4	Quartz	70 - 90 %
14808-60-7	Xn - Harmful R48/20	
	STOT RE 2; H373	

Full text of R-, H- and EUH-phrases: see section 16.

#### **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### **General information**

Remove and wash contaminated clothing before re-use.

#### After inhalation

Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion. In the event of symptoms refer for medical treatment.

#### After contact with skin

No specific precautions required.

#### After contact with eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, consult a specialist.

#### After ingestion

In the event of symptoms refer for medical treatment.

# 4.2. Most important symptoms and effects, both acute and delayed

May cause damage to organs through prolonged or repeated exposure. [lung] When dust is produced, slight irritations of eyes and mucous membranes are possible. Inhalation of dust may cause shortness of breath, tightness of the chest, a sore throat and cough.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Product does not burn, fire-extinguishing activities according to surrounding.

#### Unsuitable extinguishing media

Full water jet.

#### 5.2. Special hazards arising from the substance or mixture

No data available.

# 5.3. Advice for firefighters

In case of fire, wear suitable respiratory equipment with positive air supply. Protective suit.

### Additional information

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

In case of respirable dust, use a self-contained breathing apparatus. Ensure adequate ventilation.



Use personal protective clothing.

#### 6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water.

#### 6.3. Methods and material for containment and cleaning up

Pick up mechanically, avoiding dust, and provide disposal in suitable recipients. Where possible recycling is preferred to disposal.

6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8). Information for disposal see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Keep container tightly closed. Avoid the formation and deposition of dust. Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.

#### Advice on protection against fire and explosion

No special protective measures against fire required.

# 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed in a dry, cool and well-ventilated place.

# Advice on storage compatibility

No materials to be especially mentioned.

# Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

#### 7.3. Specific end use(s)

filler

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1332-58-7	Kaolin respirable dust	-	2		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL
12001-26-2	Mica, total inhalable	-	10		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

#### Additional advice on limit values

Obey TLV for common dust, if applicable.

# 8.2. Exposure controls

#### Appropriate engineering controls

Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.

#### Protective and hygiene measures

# Do not breathe dust.

Wash hands before breaks and at the end of workday.

When using do not eat, drink or smoke.

Remove and wash contaminated clothing before re-use.

#### Eye/face protection

Safety goggles with side protection (EN 166).

# Hand protection

Chemical protective gloves made of nitrile, nitrile/cotton, butyl or neoprene, with a minimum thickness of 0.7 mm, permeation

REMA

time of approx. 480 minutes.

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Pls. find examples in the protective gloves database under: http://bestglove.com/site/chemrest/

#### Skin protection

Long sleeved clothing (EN 368). **Respiratory protection** 

Dust mask (EN 149)

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state:	Powder
Colour:	Grey
Odour:	Odourless
Melting point:	1710 °C
Flash point:	n.a.
Lower explosion limits:	n.a.
Upper explosion limits:	
Density (at 20 °C):	2,65 g/cm³
Bulk density (at 20 °C):	1100 kg/m³
Water solubility: (at 20 °C)	More or less insoluble
Ignition temperature:	n.a.
9.2. Other information	

No data available.

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No decomposition if stored and applied as directed.

# 10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

No hazardous reactions known.

# 10.4. Conditions to avoid

Not known.

# 10.5. Incompatible materials

No materials to be especially mentioned. **10.6. Hazardous decomposition products** 

No data available.

# **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

#### Acute toxicity

Based on available data, the classification criteria are not met. No toxicological data available.

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.



#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### Severe effects after repeated or prolonged exposure

May cause damage to organs (lung) through prolonged or repeated exposure if inhaled. (Quartz )

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

#### Practical experience

#### Other observations

When dust is produced, slight irritations of eyes and mucous membranes are possible. Inhalation of dust may cause shortness of breath, tightness of the chest, a sore throat and cough.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecological data are not available.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

# 12.4. Mobility in soil

No data available.

# 12.5. Results of PBT and vPvB assessment

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

# 12.6. Other adverse effects

No data available.

#### Further information

Ecological injuries are not known or expected under normal use. Do not flush into surface water or sanitary sewer system.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Advice on disposal

It must undergo special treatment, e.g. at suitable disposal site, to comply with local regulations. Where possible recycling is preferred to disposal.

## Waste disposal number of waste from residues/unused products

080299 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of other coatings (including ceramic materials); wastes not otherwise specified

# Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse. Packaging that cannot be cleaned should be disposed of like the product.



# SECTION 14: Transport information

Land transport (ADR/RID); Marine transport (IMDG); Air transport (ICAO); Inland waterways transport (ADN)

#### 14.1. UN number:

No hazardous material as defined by the transport regulations.

# 14.2. UN proper shipping name:

No hazardous material as defined by the transport regulations.

#### 14.3. Transport hazard class(es):

No hazardous material as defined by the transport regulations.

#### 14.4. Packing group:

No hazardous material as defined by the transport regulations.

#### 14.5. Environmental hazards

No hazardous material as defined by the transport regulations.

# 14.6. Special precautions for user

No hazardous material as defined by the transport regulations.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No hazardous material as defined by the transport regulations.

# **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

1999/13/EC (VOC):

0 %

# National regulatory information

Employment restrictions:

Observe employment restrictions for young people. Observe employment restrictions for child bearing mothers and nursing.

# 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

# **SECTION 16: Other information**

#### Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure IMDG = International Maritime Code for Dangerous Goods

IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

MARPOL = International Convention for the Prevention of Pollution from Ships

IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk GHS = Globally Harmonized System of Classification and Labelling of Chemicals

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals

CAS = Chemical Abstract Service

- EN = European norm
- ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

# LD = Lethal dose

- LC = Lethal concentration
- EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

# Relevant R-phrases (Number and full text)

48/20 Harmful: danger of serious damage to health by prolonged exposure through inhalation.

#### Relevant H- and EUH-phrases (Number and full text)

H373May cause damage to organs (lung) through prolonged or repeated exposure if inhaled.H373May cause damage to organs through prolonged or repeated exposure.



# **Further Information**

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)